

PREVENTIVE HEALTH GUIDELINES FOR PROVIDERS



Sanford Health Plan has adopted the preventive care benefits as outlined under The Patient Protection and Affordable Care Act. Members can refer to their Summary of Plan Benefits for specific preventive health coverage. Annual preventive services do not need to be scheduled 12 months apart. Members may have their preventive services one time per calendar year. For example, if the services were done in July last year, it is ok to schedule them before July this year.

Birth through three years – Well care visit	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure/ Revenue Codes
Well care visit: Coverage provided for inpatient newborns; visits at 3- 5 days old; and at 1, 2, 4, 6, 9, 12, 15, 18, 24 and 30 months old. Visits include: health advice and information about development, behavior, safety/injury prevention, sleep positions, feeding, diet, daily care, physical activity and dental care. During the visit, immunizations and screenings based on a healthcare practitioner’s recommendation. Screening for socio-economic health, caregiver/ maternal depression, social determinants of health, dental home and dental risk assessment.	Z76.1, Z76.2, Z00.129, Z00.00, Z00.110, Z13.4, Z00.111, Z00.3, Z01.00, Z01.10, Z04.72, Z11.3, Z12.10, Z12.31, Z12.39, Z12.4, Z12.5, Z12.89, Z00.01, Z01.411, Z01.419, Z80.3, Z80.41, Z15.01, Z15.02, Z00.121, Z00.129, Z02.89, Z02.1, Z00.8, Z005	99381-99382, 99391-99392, 99461	G0438, G0439
Birth through three years – Preventive care for newborns			
State/Federal mandated neonatal screening tests			
Thyroid disease		84437, 84443	
Standard metabolic screening panel for inherited enzyme deficiency diseases			S3620
Phenylketonuria (PKU), bilirubin and sickle cell anemia		82247, 82248, 84030, 88720	S3850
Hearing screening: One screening between ages 1 and 18 months.	Included as part of the well care visit fee and not billed separately.		
Weight, length, head circumference: At every visit.	Included as part of the well care visit fee and not billed separately.		
Developmental: In office screening at 9, 18, and 30 months with a standardized validated tool.	Z76.1, Z76.2, Z00.129, Z00.110, Z00.111 Z00.00, Z13.4	96110, 99173-99174,	S3620

Birth through three years – Screenings	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
Autism: In office screening at 18 and 24 months with a standardized validated tool.	Z76.1, Z76.2, Z00.129, Z00.110, Z00.111 Z00.00, Z13.4	96110	
Vision: In office screen as part of preventive exam which includes alignment/cover test and visual acuity (Snellen) when age appropriate.	Included as part of the well care visit fee and not billed separately.		
Hearing: In office assessment as part of preventive exam.		92551, 92558, 92585, 92586, 92587, 92588	V5008
Dental: This includes regular oral health screenings and referral to a dentist at the appropriate age. After 6 months of age, fluoride supplements are covered, if indicated.	Included as part of the well care visit fee and not billed separately.		
Fluoride application: Application of fluoride varnish to the primary teeth in a primary care office setting during preventive exam only through age 6.		99188	
Hemoglobin or hematocrit (Hgb/Hct): One Hemoglobin or one Hematocrit between 9-15 months.	Z76.1, Z76.2, Z00.00 Z00.8, Z02.89, Z02.1, Z02.3	85013, 85014, 85018	
Hepatitis B virus screening: For at risk members ages 0-18.	Z00.00, Z00.01, Z11.59	87340, 87341	G0499
Iron supplement: Allowed for children at risk for iron deficiency anemia.			
Cholesterol test: A baseline Lipid Profile if at high risk, as determined by your healthcare practitioner. Two are allowed between the ages of 0 and 18 years.	E78.0-E78.5, Z82.49, Z82.41, Z76.1, Z76.2, Z00.00, Z00.8, Z01.419, Z01.411, Z01.42, Z01.810, Z12.39, Z12.31, Z12.4, Z12.12, Z12.5, Z12.89, Z12.11, Z13.220, Z13.9, Z00.3, Z00.129, Z01.00, Z01.10, Z04.72, Z01.811,	88061, 83465, 83700, 83701, 83704, 83718, 83719, 83721	
Lead screenings: One screening test at 12 months and one at 24 months.	Z76.1, Z76.2, Z00.129, Z00.110, Z00.111, Z00.00, Z13.4	83655	
Tuberculosis screening: As needed if screening questions are positive.	Z11.11	86580	

Birth through three years – Immunizations	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
<p>Childhood immunizationschedule</p> <p>Visit cdc.gov/vaccines OR request printed copy of the immunization schedule from Member Services at (605) 328-6800 or (800)752-5863.</p> <p>NOTE: CPT and HCPCS codes for general administration of vaccine include:</p> <ul style="list-style-type: none"> • 90460-90468 • 90471-90474 • As indicated for specific vaccines 		DTP / DT / Td / DTaP Vaccine: 90698, 90700, 90702, 90723,	
		Hepatitis A Vaccine: 90633, 90634	
		Hepatitis B Vaccine: 90723, 90740, 90744, 90747, 90748,	Hepatitis B Admin.: G0010, Q3021, Q3023
		Hib Vaccine: 90647-90648, 90698, 90748	
	Influenza: Z23	Influenza Vaccine: 90630, 90653-90658, 90660-90664, 90666-90668, 90672- 90674, 90682, 90685-90688	Influenza Admin.: G0008 Influenza Vaccine: Q2034-Q2039
		IPV Vaccine: 90698, 90713, 90723	
		MMR Vaccine: 90707, 90710	
<p>Childhood immunizationschedule</p> <p>Visit cdc.gov/vaccines OR request printed copy of the immunization schedule from Member Services at (605) 328-6800 or (800)752-5863.</p> <p>NOTE: CPT and HCPCS codes for general administration of vaccine include:</p> <ul style="list-style-type: none"> • 90460-90468 • 90471-90474 • As indicated for specific vaccines 		Pneumococcal Vaccine: 90670, 90732	Pneumococcal Admin.: G0009
		Rotavirus Vaccine: 90680, 90681	
		Varicella Vaccine: 90710, 90716	

Ages 4 to 17 – Well care visit	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
<p>Well care visit: Once a year for children ages 4 to 17. Visits include age and gender appropriate health advice and information about dental care, exercise and physical activity, diet and nutrition, counseling for obesity, sun exposure and safety/injury prevention. When appropriate, alcohol, sexual behavior/STDs, smoking and suicide prevention is also addressed. During the visit, immunizations and screenings based on a healthcare practitioner's recommendation. Screening for socio-economic health, caregiver/maternal depression, social determinants of health, dental home and dental risk assessment.</p>	<p>Z00.00, Z01.419, Z01.411, Z11.3, Z12.39, V12.31, Z12.4, Z12.12, Z12.5, Z12.89, Z12.10, Z13.4, Z76.1, Z76.2, Z00.129, Z00.110, Z13.4, Z00.111, Z00.3, Z01.00, Z01.10, Z04.72, Z11.3, Z12.10, Z12.31, Z12.39, Z12.4, Z12.5, Z12.89, Z00.01, Z01.411, Z01.419, Z80.3, Z80.41, Z15.01, Z15.02, Z00.121, Z02.1, Z02.3, Z00.8, Z00.5</p>	<p>99382-99384, 99392-99394, 99408-99409</p>	<p>G0438, G0439, G0442, G0443</p>
Ages 4 to 17 – Immunizations			
<p>Childhood immunizationschedule</p> <p>Visit cdc.gov/vaccines OR request printed copy of the immunization schedule from Member Services at (605) 328-6800 or 1-800-752-5863.</p> <p>NOTE: CPT & HCPCS codes for general administration of vaccine include:</p> <ul style="list-style-type: none"> • 90460-90468 • 90471-90474 • As indicated for specific vaccines 		<p>DTP / DT / Td/ DTaP/Tdap Vaccine: 90696, 90698, 90700, 90702, , 90714, 90715, 90723</p>	
		<p>Hepatitis A Vaccine: 90633, 90634</p>	
		<p>HPV Vaccine: 90649, 90650, 90651</p>	
		<p>Varicella Vaccine: 90710, 90716</p>	
		<p>Hepatitis B Vaccine: 90723, 90740, 90743, 90744, 90747, 90748</p>	<p>Hepatitis B Admin.: G0010, Q3021</p>

Ages 4 to 17 (cont.) – Immunizations	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
<p>Childhood immunization schedule</p> <p>Visit cdc.gov/vaccines OR request printed copy of the immunization schedule from Member Services at (605) 328-6800 or 1-800-752-5863.</p> <p>NOTE: CPT & HCPCS codes for general administration of vaccine include:</p> <ul style="list-style-type: none"> • 90460-90468 • 90471-90474 • As indicated for specific vaccines 	Influenza: Z23	Influenza Vaccine: 90630, 90654, 90656, 90658, 90660, 90661, 90662, 90664, 90672, 90673, 90674, 90682, 90686	Influenza Admin.: G0008 Influenza Vaccine: Q2034-Q2039
		IPV Vaccine: 90696, 90698, 90713, 90723	
		Meningococcal Vaccine: 90733-90734	
		MMR Vaccine: 90707, 90710	
		Pneumococcal Vaccine: 90670, 90732	Pneumococcal Admin.: G0009 Pneumococcal Vaccine: S0195
Ages 4 to 17 – Screenings			
Vision: In office screen as part of preventive exam which includes alignment/cover test and visual acuity (Snellen) when age appropriate.	Included as part of the well care visit fee and not billed separately.		
Fluoride application: Application of fluoride varnish to the primary teeth in a primary care office setting during preventive exam only through age 6.			
Height, weight, BMI, blood pressure: At every well care visit and review of body mass index (BMI) for ages 6 and older, review of Body Mass Index (BMI), a tool used to screen for obesity.	Included as part of the well care visit fee and not billed separately.		
Cholesterol test: A baseline Lipid Profile if at high risk Two are allowed between the ages of 0 and 18 years.	E78.0-E78.5, Z82.49, Z82.41, Z00.00, Z00.8, Z01.419, Z01.411, Z01.42, Z01.810, Z12.39, Z12.31, Z12.4, Z12.12, Z12.5, Z12.89, Z12.10, Z12.11, Z13.22, Z13.9, Z00.129, Z13.220	80061, 82465, 83700, 83701, 83704, 83718, 83719, 83721	
Hearing: In office assessment as part of preventive exam Screening audiograms may be performed at ages 4, 5, 6, 8, and 10 if needed.	In office assessment included as part of the well care visit fee and not billed separately.		
	Z01.118, Z01.10, Z01.110	Audiograms: 92550-92588	Audiograms: V5008
Dental: This includes regular oral health screenings and referral to a dentist at the appropriate age. After 6 months of age, fluoride supplements are covered, if indicated.	Included as part of the well care visit fee and not billed separately.		
Hemoglobin or hematocrit (Hgb/Hct): One Hemoglobin or one Hematocrit per calendar year.	Z76.1, Z76.2, Z00.00, Z00.8	85013, 85014, 85018	
HIV screening: Allowed once between the ages of 15-18 as indicated for at risk members.	HIV: Z72.51, Z22.8, Z00.00, Z01.419, Z01.411, Z11.59, Z11.3, Z11.9, Z12.4, Z12.72, Z11.4	HIV: 86701-86703 87390-87391, 86689	HIV: G0432, G0433, G0435, G0475, S6325

Ages 4 to 17 (cont.) – Screenings	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
Sexually Transmitted Disease (STD): All sexually active adolescents should be counseled and screened for STDs, including chlamydia, gonorrhea, syphilis and HIV.	Counseling is included as part of the well care visit fee and not billed separately.		
	Chlamydia: Z72.51, Z00.00, Z01.419, Z01.411, Z11.8, Z11.3, Z11.2, Z11.9, Z12.4, Z12.72, Z22.8, Z71.89	Chlamydia: 86631, 87110, 87270, 87320, 87490-87492, 87810, 86632	
	Gonorrhea: Z72.51, Z00.00, Z01.419, Z01.411, Z11.8, Z11.3, Z11.2, Z11.9, Z12.4, Z12.72, Z72.51	Gonorrhea: 87590-87592, 87850	
	HIV: Z72.51, Z22.8, Z00.00, Z01.419, Z01.411, Z11.59, Z11.3, Z11.9, Z12.4, Z12.72, Z11.4	HIV: 86701-86703 87390-87391, 86689	HIV: G0432, G0433, G0435, G0475, S6325
	Syphilis: Z00.00, Z04.419, Z01.411, Z11.3, Z71.89, Z12.72, Z11.2, Z12.4, Z22.8	Syphilis: 86592-86593	
Tuberculosis screening: As needed if screening questions are positive.	Z11.1	86580	
Screening for depression: Starting at age 11 for major depression when systems are in place to ensure accurate diagnosis, psychotherapy, & follow up.	Included as part of the well care visit fee and not billed separately.		
Obesity screening and counseling: Allowed for ages 6+ as needed with referral to comprehensive, intensive behavioral interventions to promote improvement in weight status.			
Hepatitis B virus screening: For at risk members ages 0-18.	Z00.00, Z00.01, Z11.59	87340, 87341	G0499
Ages 18 to 59 – Preventive exam (physical)			
Preventive exam (physical): Once a year for adults ages 18-59. Visits include: health advice and counseling about dental care, exercise and physical activity, diet and nutrition, obesity and referral for patients with a body mass index of 30 or higher and referrals to intensive behavioral counseling to promote healthful diet and physical activity to decrease cardiovascular risk, sun exposure, safety/injury prevention, alcohol, sexual behavior/STDs, medical education and tobacco use. During the visit, immunizations and screenings based on a healthcare practitioner's recommendation are allowed.	Z00.00, Z01.419, Z01.411, Z11.3, Z12.39, Z12.4, Z12.12, Z12.5, Z12.89, Z12.10, Z13.4, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45	99201-99215, 99241-99245, 99385-99386, 99401 – 99404, 97802-97804	G0446, G0447, G0473

Ages 18 to 59 – Immunizations	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
<p>Adult immunization schedule</p> <p>Visit cdc.gov/vaccines OR request printed copy from Member Services at (605) 328-6800 or (800) 752-5863.</p> <p>NOTE: Pregnant women Tdap is indicated once per pregnancy, in accordance with CDC guidelines.</p> <p>NOTE: CPT & HCPCS codes for general administration of vaccine include:</p> <ul style="list-style-type: none"> • 90460-90468 • 90471-90474 • As indicated for specific vaccines 		Hepatitis B Vaccine: 90723, 90740, 90747, 90748, 90636 , 90739	Hepatitis B Admin.: G0010, Q3022-Q3023
	Influenza: Z23	Influenza Vaccine: 90630, 90654, 90656, 90658, 90660, 90661, 90662, 90664, 90672, 90673, 90674, 90682, 90686	Influenza Admin.: G0008 Influenza Vaccine: Q2034-Q2039
		Meningococcal Vaccine: 90733- 90734	
		Pneumococcal Vaccine: 90670, 90732	Pneumococcal Admin.: G0009
		Td /Tdap Vaccine: 90698, 90714, 90715, 90719, 90720, 90721, 90723	
		Varicella Vaccine: 90710, 90716	
		HPV Vaccine: 90649, 90650, 90651	
Ages 18 to 59 – Screenings for men and women			
Height, weight, BMI, blood pressure: At every wellness exam.	Included as part of the well care visit fee and not billed separately.		
<p>Cholesterol test:</p> <ul style="list-style-type: none"> • Between ages 18 and 24 – one lipid profile • Between ages 25 and 44 – one lipid profile every 5 years • Age 45 and older – one lipid profile every year 	E78.0-E78.5, Z82.49, Z82.41, Z00.00, Z00.8, Z01.419, Z01.411, Z01.42, Z01.810, Z12.39, Z12.31, Z12.39, Z12.4, Z12.12, Z12.5, Z12.89, Z12.10, Z12.11, Z13.22, Z13.9, Z00.129, Z13.220	80061, 82465, 83700, 83701, 83704, 83718, 83719, 83721	
Depression screening: Screen for major depression when systems are in place to ensure accurate diagnosis, psychotherapy, and follow up.	Included as part of the well care visit fee and not billed separately.		
Counseling for healthy diet: In office assessment and counseling for members with hyperlipidemia and other known risk factors for cardiovascular disease and diet related chronic disease.	Included as part of the well care visit fee and not billed separately.		

Ages 18 to 59 (cont.) – Screenings for men and women	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
Colorectal screening: Age 50 and older – colonoscopy every 10 years (includes anesthesia and tissue sample analysis) or stool for occult blood every year or fecal immunochemical test (FIT) every year, or stool DNA testing every 3 years, or flexible sigmoidoscopy every 5 years.	Z00.00, Z00.8, Z01.419, Z01.411, Z12.39, Z12.31, Z12.4, V12.6, Z12.12, Z12.5, Z12.89, Z12.10, Z12.11, Z13.820, Z13.9, Z80.0, Z83.71, Z83.79, Z12.11, Z00.01, Z00.00	00810, 88304, 88305 Stool for Occult Blood: 82270, 82274	Stool for Occult Blood: G0328
		Stool DNA Testing: 81528	Stool DNA Testing: G0464
		Fecal Immunochemical Test (FIT): 82274	Fecal Immunochemical Test (FIT): G0328
		Flexible Sigmoidoscopy: 45300-45345	Flexible Sigmoidoscopy: G0104, G0106
		Colonoscopy: 44388-44397, 45355-45392	Colonoscopy: G0105, G0121, G0120
Diabetes screening: Allowed as blood sugar test to screen for diabetes in adults as part of a cardiovascular risk assessment for ages 40-70.	Z00.00, Z01.419, Z01.411, Z13.1	Fasting Blood Glucose: 82947, 82948, 83036	RV300-RV319
Hemoglobin or hematocrit (Hgb/Hct): One hemoglobin or one hematocrit every year.	Z00.00, Z00.8, Z01.419, Z01.411, Z12.4, Z12.6, Z12.12, Z12.5, Z12.89, Z12.10, Z12.11, Z13.820, Z13.9	85013, 85014, 85018	
Hepatitis B screening: Allowed for at risk adults ages 18 or older.	Z00.00, Z00.01, Z11.59	87340, 87341	G0499

Ages 18 to 59 (cont.) – Screenings for men and women	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
<p>Hepatitis C screening: Allowed once lifetime for members born between 1945-1965 or allowed once per lifetime for members at risk.</p>	<p>A51.31, A51.32, A51.39, A51.41, A51.42, A51.43, A51.44, A51.46, A51.49, A51.5, A51.9, A52.00, A52.01, A52.02, A52.03, A52.04, A52.05, A52.06, A52.09, A52.10, A52.11, A52.12, A52.13, A52.14, A52.15, A52.16, A52.17, A52.19, A52.2, A52.3, A52.71, A52.72, A52.73, A52.74, A52.75, A52.76, A52.77, A52.78, A52.79, A52.8, A52.9, A53.0, A53.9, A54.00, A54.01, A54.02, A54.03, A54.09, A54.1, A54.21, A54.22, A54.23, A54.24, A54.29, A54.30, A54.31, A54.32, A54.33, A54.39, A54.40, A54.41, A54.42, A54.43, A54.49, A54.5, A54.6, A54.81, A54.82, A54.83, A54.84, A54.85, A54.86, A54.89, A54.9, A55, A56.00, A56.01, A56.02, A56.09</p> <p>A56.11, A56.19, A56.2, A56.3, A56.4, A56.8, A57, A58, A59.00, A59.01, A59.02, A59.03, A59.09, A59.8, A59.9, A60.00, A60.01, A60.02, A60.03, A60.04, A60.09, A60.1, A60.9, A63.0, A63.8, A64, A74.81, A74.89, A74.9, B07.8, B07.9, B20., B97.35, B97.7, D65, D66, D67., D68.0, D68.1, D68.2</p> <p>D68.311, D68.312, D68.318, D68.32, D68.4, D68.8, D68.9, F11.20, F11.21</p>	<p>86803, 86804</p>	<p>G0472</p>

Ages 18 to 59 (cont.) – Screenings for men and women	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
<p>Hepatitis C screening: Allowed once lifetime for members born between 1945-1965 or allowed once per lifetime for members at risk.</p>	<p>F11.220, F11.221, F11.222, F11.229, F11.23, F11.24, F11.250, F11.251, F11.259, F11.281, F11.282, F11.288, F11.29, F12.20, F12.21, F12.220, F12.221, F12.222, F12.229, F12.250, F12.251, F12.259, F12.280, F12.288, F12.29, F13.20, F13.21, F13.220, F13.221, F13.229, F13.230, F13.231, F13.232, F13.239, F13.24, F13.250, F13.251, F13.259, F13.26, F13.27, F13.280, F13.281, F13.282, F13.288, F13.29, F14.20, F14.21, F14.220, F14.221, F14.222, F14.229, F14.23, F14.24, F14.250, F14.251, F14.259, F14.280, F14.281, F14.282, F14.288, F14.29, F15.20, F15.21, F15.220, F15.221, F15.222, F15.229, F15.23, F15.24, F15.250, F15.251, F15.259, F15.280, F15.281, F15.282, F15.288, F15.29, F16.20, F16.21, F16.220, F16.221, F16.229, F16.24, F16.250, F16.251, F16.259, F16.280, F16.283, F16.288, F16.29, F18.20, F18.21, F18.220, F18.221, F18.229, F18.24, F18.250, F18.251, F18.259, F18.27, F18.280, F18.288, F18.29, F19.20, F19.21, F19.220, F19.221, F19.222, F19.229, F19.230, F19.231, F19.232, F19.239, F19.24, F19.250, F19.251, F19.259, F19.26, F19.27, F19.280, F19.281, F19.282, F19.288, F19.29, K50.00, K50.011, K50.012, K50.013, K50.014, K50.018, K50.019, K50.10, K50.111, K50.112, K50.113, K50.114, K50.118, K50.119, K50.80, K50.811, K50.812, K50.813, K50.814, K50.818, K50.819, K50.90, K50.911, K50.912, K50.913, K50.914, K50.918, K50.919, K51.20, K51.211, K51.212, K51.213, K51.214, K51.218, K51.219, K51.30, K51.311, K51.312, K51.313, K51.314, K51.318, K51.319, K51.40, K51.411, K51.412, K51.413, K51.414, K51.418, K51.419, K51.218, K51.219, K51.30, K51.311, K51.312, K51.313, K51.314, K51.318, K51.319, K51.40, K51.411, K51.412,</p>		

Ages 18 to 59 (cont.) – Screenings for men and women	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
<p>Hepatitis C screening: Allowed once lifetime for members born between 1945-1965 or allowed once per lifetime for members at risk.</p>	<p>K51.413, K51.414, K51.418, K51.419, K51.50, K51.511, K51.512, K51.513, K51.514, K51.518, K51.519, K51.80, K51.811, K51.812, K51.813, K51.814, K51.818, K51.819, K51.90, K51.911, K51.912, K51.913, K51.914, K51.918, K51.919, M02.30, M02.311, M02.312, M02.319, M02.321, M02.322, M02.329, M02.331, M02.332, M02.339, M02.341, M02.342, M02.349, M02.351, M02.352, M02.359, M02.361, M02.362, M02.369, M02.371, M02.372, M02.379, M02.38, M02.39, N18.3, N18.4, N18.5, N18.6, N34.1, N49.1, N49.2, N49.3, N49.8, N49.9, N73.5, N73.9, N76.0, N76.1, N76.2, N76.3, N77.1, O35.3XX0, O35.3XX1, O35.3XX2, O35.3XX3, O35.3XX4, O35.3XX5, O35.3XX9, O35.5XX0, O35.5XX1, O35.5XX2, O35.5XX3, O35.5XX4, O35.5XX5, O35.5XX9, O90.4, O98.011, O98.012, O98.013, O98.019, O98.02, O98.03, O98.111, O98.112, O98.113, O98.119, O98.12, O98.13, O98.211, O98.212, O98.213, O98.219, O98.22, O98.23, O98.311, O98.312, O98.313, O98.319, O98.32, O98.33, O99.320, O99.321, O99.322, O99.323, O99.324, O99.325, P00.2, Z00.00, Z00.01, Z04.41, Z04.42, Z11.3, Z11.4, Z11.59, Z11.9, Z14.01, Z14.02, Z20.2, Z20.5, Z20.6, Z20.828, Z21, Z22.4, Z41.8, Z48.21, Z48.22, Z48.24, Z48.280, Z48.21, Z48.22, Z48.24, Z48.280, Z48.288, Z48.290, Z48.298, Z49.31, Z49.32, Z51.89, Z52.000, Z52.001, Z52.008, Z52.010, Z52.011, Z52.018, Z52.090, Z52.091, Z52.098, Z52.10, Z52.11, Z52.19, Z52.20, Z52.21, Z52.29, Z52.3, Z52.4, Z52.5, Z52.6, Z52.89, Z52.9, Z57.8, Z71.7, Z72.51, Z72.52, Z72.53, Z79.899, Z86.2, Z92.25, Z94.0, Z94.1, Z94.2, Z94.3, Z94.5, Z94.6, Z94.7, Z94.81, Z94.82, Z94.83, Z94.84, Z94.89, Z94.9, Z95.3, Z95.4, Z99.2</p>		

Ages 18 to 59 (cont.) – Screenings for men and women	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
Lung cancer screening: Allowed once per calendar year for members ages 55-80 with a 30 pack-year smoking history, who currently smoke, or have quit smoking within the past 15 years.	F17.210, F17.213, F17.218, F17.219, Z87.891		S8032, G0296, G0297
Sexually Transmitted Disease (STD): For all adults at risk and includes chlamydia, gonorrhea, syphilis and HIV.	Chlamydia: Z72.51, Z00.00, Z01.419, Z01.411, Z11.8, Z11.3, Z11.2, Z11.9, Z12.4, Z12.72, Z22.8, Z71.89	Chlamydia: 86631, 87110, 87270, 87320, 87490-87492, 87810, 86632	
	Gonorrhea: Z72.51, Z00.00, Z01.419, Z01.411, Z11.8, Z11.3, Z11.2, Z11.9, Z12.4, Z12.72, Z72.51	Gonorrhea: 87590-87592, 87850	
	HIV: Z72.51, Z22.8, Z00.00, Z01.419, Z01.411, Z11.59, Z11.3, Z11.9, Z12.4, Z12.72, Z11.4	HIV: 86701-86703, 87390-87391, 86689	HIV: G0432, G0433, G0435, G0475, S6325
	Syphilis: Z00.00, Z04.419, Z01.411, Z11.3, Z71.89, Z12.72, Z11.2, Z12.4, Z22.8	Syphilis: 86592-86593	
Tuberculosis screening: Allowed once every 5 years for adult members at risk.		86580	
Ages 18 to 59 – Screenings for women			
Anemia screening: Allowed for pregnant women.			
Bacteriuria screening: Allowed for pregnant women 12 to 16 weeks gestation or at the first prenatal visit, if later.			
BRCA screening: Women with a family history (breast or ovarian cancer) associated with increased risk for harmful mutations in BRCA1 or BRCA2 should be referred for genetic counseling regarding BRCA testing. (Limit 1 per lifetime).	Z85.3, Z85.43, Z80.3, Z80.41, Z31.5	96040	S0265
Breast cancer preventive medications: Allowed for women at risk for breast cancer.			
Breast feeding supplies, support and counseling: Allowed one breast pump (electric or manual, nonhospital grade) per pregnancy along with replacement tubing, breast shields, and splash protectors are covered when obtained from a Sanford Health Plan contracted durable medical equipment provider. Consultations with a lactation (breastfeeding) specialist are also covered.			E0602, E0603, A4281, A4282, A4283, A4284, A4286
Folic acid supplements: Allowed for women planning to become pregnant or in their childbearing years.			
Gestational diabetes screening: Allowed for all pregnant women after 24 weeks gestation.			
Hepatitis B virus infection screening: Allowed for all pregnant women.	Z00.00, Z00.01, Z11.59	87340, 87341	

Ages 18 to 59 (cont.) – Screenings for women	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
<p>Family planning: Select barrier methods, intrauterine devices, sterilization and oral contraceptives as listed on the formulary. For specific information, contact Member Services at (800) 752-5863.</p>	<p>Z30.8, Z30.018, Z30.09, Z30.2, Z30.430, Z30.432, Z30.433, Z30.49, Z30.8, Z30.9, Z30.430, Z30.431, Z30.40, Z30.41, Z30.43, Z30.013, Z97.5, Z30.014, Z30.019, Z30.011, Z30.012</p>	<p>11976, 11981, 11982, 11983, 57170, 58300, 58301, 96372, 58605, 00851, 58565, 58615, 58670, 58671, 58700, 58611, 74740, 58340, 88302, 58661</p>	<p>A4261, A4262, A4263, A4264, A4266, J1050, J1055, J7297, J7298, J7300, J7301, J7302, J7303, J7304, J7306, J7307, Q0090, S4981, A4264, J0330, J0690, J1100, J1170, J1630, J1810, J1885, J2001, J2250, J2270, J2405, J2710, J2765, J3010, J7040, J7120</p>
<p>HPV testing: HPV testing for women over 30 years old.</p>	<p>B97.7, R87.610, R87.810, R87.820, Z11.51, Z72.51, Z01.411, Z01.419</p>	<p>83892, 83894, 83903, 83912, 87320, 87620-87622, 88141, 87625</p>	<p>G0476</p>
<p>Intimate partner violence screening: Allowed for women of childbearing age and referral for women with a positive screening to intervention services.</p>			
<p>Mammogram: One screening per year beginning at age 40.</p>	<p>Z12.39, Z12.31</p>	<p>77051-77052, 77065-77067</p>	<p>G0202, G0204, G0206 RV401, RV403</p>
<p>Counseling women at high risk for breast cancer: Counseling for chemoprevention of breast cancer (as part of the annual preventive health examination).</p>	<p>Included as part of the well care visit fee and not billed separately.</p>		
<p>Pap Smear Age 21 – 29: Every 3 years Age 30 – 65: Every 3 years; or every 5 years if HPV test is also performed</p>	<p>Z00.00, Z00.8, Z01.419, Z01.411, Z12.4, Z12.72, Z12.89</p>	<p>88141-88167, 88174-88175</p>	<p>G0123, G0124, G0141, G0143-G0145, G0147, G0148, P3000, P3001, Q0091, RV401, RV403</p>
<p>Pelvic and Breast Exam: Once per year for ages 21-65</p>	<p>Z00.00, Z00.8, Z01.419, Z01.411, Z12.4, Z12.72, Z12.89</p>		<p>G0101</p>

Ages 18 to 59 (cont.) – Screenings for women	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
Preeclampsia prevention: Allowed for pregnant women with high risk for preeclampsia that are 12+ weeks gestation.			
Rh incompatibility screening: Allowed if unknown biological father Rh blood typing.			
Sexually Transmitted Disease (STD): For all adults at risk and includes chlamydia, gonorrhea, syphilis and HIV.	Chlamydia: Z72.51, Z00.00, Z01.419, Z01.411, Z11.8, Z11.3, Z11.2, Z11.9, Z12.4, Z12.72, Z22.8, Z71.89	Chlamydia: 86631, 87110, 87270, 87320, 87490-87492, 87810, 86632	
	Gonorrhea: Z72.51, Z00.00, Z01.419, Z01.411, Z11.8, Z11.3, Z11.2, Z11.9, Z12.4, Z12.72, Z72.51	Gonorrhea: 87590-87592, 87850	
Sexually Transmitted Disease (STD): For all adults at risk and includes chlamydia, gonorrhea, syphilis and HIV.	HIV: Z72.51, Z22.8, Z00.00, Z01.419, Z01.411, Z11.59, Z11.3, Z11.9, Z12.4, Z12.72, Z11.4	HIV: 86701-86703, 87390-87391, 86689	HIV: G0432, G0433, G0435, G0475, S6325
	Syphilis: Z00.00, Z04.419, Z01.411, Z11.3, Z71.89, Z12.72, Z11.2, Z12.4, Z22.8	Syphilis: 86592-86593	
Tobacco use in pregnancy: Counseling and interventions for pregnant women that use tobacco products.			
Ages 18 to 59 – Screenings for men			
Prostate Specific Antigen (PSA): one test per year beginning at age 50.	Z80.42, Z00.00, Z00.8, Z12.5, Z15.03	84152-84154	G0103
Ages 18 to 59 – Additional covered benefits for men and women			
Aspirin: Allowed for adults ages 50-59 at risk for developing cardiovascular disease.			
Basic metabolic panel: One per year and should include the following: calcium, carbon dioxide, chloride, creatinine, glucose, potassium, sodium and urea nitrogen.	Z00.00, Z00.8, Z01.419, Z01.411, Z12.39, Z12.31, Z12.4, Z12.12, Z12.5, Z12.89, Z12.10, Z12.11, Z13.820, Z13.9	80048, 80047	RV300-RV319
Ages 60+ – Preventive exam (physical)			
Preventive exam (physical) Once a year for adults age 60+. Visits include: health advice and counseling about dental care, exercise and physical activity, diet and nutrition, obesity and referral for patients with a body mass index of 30 or higher and referrals to intensive behavioral counseling to promote healthful diet and physical activity to decrease cardiovascular risk, sun exposure, safety/injury prevention, alcohol, sexual behavior/STDs, medical education and tobacco use, immunizations and screenings based on a practitioner's recommendation are allowed.	Z00.00, Z01.419, Z01.411, Z11.3, Z12.39, Z12.4, Z12.12, Z12.5, Z12.89, Z12.10, Z13.4, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45	99201-99215, 99241-99245, 99385-99386, 99401 - 99404, 97802-97804	G0446, G0447, G0473

Ages 60+ – Immunizations	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
<p>Adult immunizationschedule</p> <p>Visit cdc.gov/vaccines OR request printed copy of the immunization schedule from Member Services at (605) 328-6800 or (800) 752-5863.</p> <p>NOTE: CPT & HCPCS codes for general administration of vaccine include:</p> <ul style="list-style-type: none"> • 90460-90468 • 90471-90474 • As indicated for specific vaccines 		Hepatitis B Vaccine: 90723, 90740, 90746, 90747, 90748, 90636, 90739	Hepatitis B Admin.:G0010, Q3022-Q3023
	Influenza: Z23	Influenza Vaccine: 90630, 90654, 90656, 90658, 90660, 90661, 90662, 90664, 90672, 90673, 90674, 90682, 90686	Influenza Admin.: G0008 Influenza Vaccine: Q2034-Q2039
		Meningococcal Vaccine: 90733-90734	
<p>Adult immunizationschedule</p> <p>Visit cdc.gov/vaccines OR request printed copy of the immunization schedule from Member Services at (605) 328-6800 or (800) 752-5863.</p> <p>NOTE: CPT & HCPCS codes for general administration of vaccine include:</p> <ul style="list-style-type: none"> • 90460-90468 • 90471-90474 • As indicated for specific vaccines 		Pneumococcal Vaccine: 90670, 90732	Pneumococcal Admin.: G0009
		Td/Tdap Vaccine: 90714, 90715	
		Varicella Vaccine: 90710, 90716	
	B02.9	Zostavax – age 60+: 90736, 90750	
Ages 60+ – Screenings for men and women			
Height, weight, BMI, blood pressure: At every wellness exam. Review your Body Mass Index (BMI), a tool used to screen for obesity, with your healthcare practitioner.	Included as part of the well care visit fee and not billed separately.		
Cholesterol test: One lipid profile per year.	E78.0-E78.5, Z82.49, Z82.41, Z82.49, Z00.00, Z00.8, Z01.419, Z01.411, Z01.42, Z01.810, Z12.39,Z12.31, Z12.39, Z12.4, Z12.12, Z12.5, Z12.89, Z12.10, Z12.11, Z13.22, Z13.9	80061, 82465, 83700, 83701, 83704, 83718, 83719, 83721	
Counseling for healthy diet: In office assessment and counseling for members with hyperlipidemia and other known risk factors for cardiovascular disease and diet related chronic disease.	Included as part of the well care visit fee and not billed separately.		
Hepatitis B screening: Allowed for at risk adults ages 18 or older.	Z00.00, Z00.01, Z11.59	87340, 87341	G0499

Ages 60+ (cont.) – Screenings for men and women	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
<p>Hepatitis C screening: Allowed once lifetime for members born between 1945-1965 or allowed once per lifetime for members at risk.</p>	<p>A51.31, A51.32, A51.39, A51.41, A51.42, A51.43, A51.44, A51.46, A51.49, A51.5, A51.9, A52.00, A52.01, A52.02, A52.03, A52.04, A52.05, A52.06, A52.09, A52.10, A52.11, A52.12, A52.13, A52.14, A52.15, A52.16, A52.17, A52.19, A52.2, A52.3, A52.71, A52.72, A52.73, A52.74, A52.75, A52.76, A52.77, A52.78, A52.79, A52.8, A52.9, A53.0, A53.9, A54.00, A54.01, A54.02, A54.03, A54.09, A54.1, A54.21, A54.22, A54.23, A54.24, A54.29A54.30, A54.31, A54.32, A54.33, A54.39, A54.40, A54.41, A54.42, A54.43, A54.49, A54.5, A54.6, A54.81, A54.82, A54.83, A54.84, A54.85, A54.86, A54.89, A54.9, A55, A56.00, A56.01, A56.02, A56.09, A56.11, A56.19, A56.2, A56.3, A56.4, A56.8, A57, A58, A59.00, A59.01, A59.02, A59.03, A59.09, A59.8, A59.9, A60.00, A60.01, A60.02, A60.03, A60.04, A60.09, A60.1, A60.9, A63.0, A63.8, A64, A74.81, A74.89, A74.9, B07.8, B07.9, B20., B97.35, B97.7, D65, D66, D67., D68.0, D68.1, D68.2, D68.311, D68.312, D68.318, D68.32, D68.4, D68.8, D68.9, F11.20, F11.21, F11.220, F11.221, F11.222, F11.229, F11.23, F11.24, F11.250, F11.251, F11.259, F11.281, F11.282, F11.288, F11.29, F12.20, F12.21, F12.220, F12.221, F12.222, F12.229, F12.250, F12.251, F12.259, F12.280, F12.288, F12.29, F13.20, F13.21, F13.220, F13.221, F13.229, F13.230, F13.231, F13.232, F13.239, F13.24, F13.250, F13.251, F13.259, F13.26, F13.27, F13.280, F13.281, F13.282, F13.288, F13.29, F14.20, F14.21, F14.220, F14.221, F14.222, F14.229, F14.23, F14.24, F14.250, F14.251, F14.259, F14.280, F14.281, F14.282, F14.288, F14.29, F15.20, F15.21, F15.220, F15.221, F15.222, F15.229, F15.23, F15.24, F15.250, F15.251, F15.259, F15.280, F15.281, F15.282, F15.288, F15.29, F16.20, F16.21, F16.220, F16.221, F16.229, F16.24, F16.250, F16.251,</p>	<p>86803, 86804</p>	<p>G0472</p>

Ages 60+ (cont.) – Screenings for men and women	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
<p>Hepatitis C screening: Allowed once lifetime for members born between 1945-1965 or allowed once per lifetime for members at risk.</p>	<p>F16.259, F16.280, F16.283, F16.288, F16.29, F18.20, F18.21, F18.220, F18.221, F18.229, F18.24, F18.250, F18.251, F18.259, F18.27, F18.280, F18.288, F18.29, F19.20, F19.21, F19.220, F19.221, F19.222, F19.229, F19.230, F19.231, F19.232, F19.239, F19.24, F19.250, F19.251, F19.259, F19.26, F19.27, F19.280, F19.281, F19.282, F19.288, F19.29, K50.00, K50.011, K50.012, K50.013, K50.014, K50.018, K50.019, K50.10, K50.111, K50.112, K50.113, K50.114, K50.118, K50.119, K50.80, K50.811, K50.812, K50.813, K50.814, K50.818, K50.819, K50.90, K50.911, K50.912, K50.913, K50.914, K50.918, K50.919, K51.20, K51.211, K51.212, K51.213, K51.214, K51.319, K51.40, K51.411, K51.412, K51.413, K51.414, K51.418, K51.419, K51.50, K51.511, K51.512, K51.513, K51.514, K51.518, K51.519, K51.80, K51.811, K51.812, K51.813, K51.814, K51.818, K51.819, K51.90, K51.911, K51.912, K51.913, K51.914, K51.918, K51.919, M02.30, M02.311, M02.312, M02.319, M02.321, M02.322, M02.329, M02.331, M02.332, M02.339, M02.341, M02.342, M02.349, M02.351, M02.352, M02.359, M02.361, M02.362, M02.369, M02.371, M02.372, M02.379, M02.38, M02.39, N18.3, N18.4, N18.5, N18.6, N34.1, N49.1, N49.2, N49.3, N49.8, N49.9, N73.5, N73.9, N76.0, N76.1, N76.2, N76.3, N77.1, O35.3XX0, O35.3XX1, O35.3XX2, O35.3XX3, O35.3XX4, O35.3XX5, O35.3XX9, O35.5XX0, O35.5XX1, O35.5XX2, O35.5XX3, O35.5XX4, O35.5XX5, O35.5XX9, O90.4, O98.011, O98.012, O98.013, O98.019, O98.02, O98.03, O98.111, O98.112, O98.113, O98.119, O98.12, O98.13, O98.211, O98.212, O98.213, O98.219, O98.22, O98.23, O98.311, O98.312, O98.313, O98.319, O98.32, O98.33,</p>		

Ages 60+ (cont.) – Screenings for men and women	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
Hepatitis C screening: Allowed once lifetime for members born between 1945-1965 or allowed once per lifetime for members at risk.	099.320, 099.321, 099.322, 099.323, 099.324, 099.325, P00.2, Z00.00, Z00.01, Z04.41, Z04.42, Z11.3, Z11.4, Z11.59, Z11.9, Z14.01, Z14.02, Z20.2, Z20.5, Z20.6, Z20.828, Z21, Z22.4, Z41.8, Z48.21, Z48.22, Z48.24, Z48.280, Z48.21, Z48.22, Z48.24, Z48.280, Z48.288, Z48.290, Z48.298, Z49.31, Z49.32, Z51.89, Z52.000, Z52.001, Z52.008, Z52.010, Z52.011, Z52.018, Z52.090, Z52.091, Z52.098, Z52.10, Z52.11, Z52.19, Z52.20, Z52.21, Z52.29, Z52.3, Z52.4, Z52.5, Z52.6, Z52.89, Z52.9, Z57.8, Z71.7, Z72.51, Z72.52, Z72.53, Z79.899, Z86.2, Z92.25, Z94.0, Z94.1, Z94.2, Z94.3, Z94.5, Z94.6, Z94.7, Z94.81, Z94.82, Z94.83, Z94.84, Z94.89, Z94.9, Z95.3, Z95.4, Z99.2		
Lung cancer screening: Allowed once per calendar year for members ages 55-80 with a 30 pack-year smoking history, who currently smoke, or have quit smoking within the past 15 years.	F17.210, F17.213, F17.218, F17.219, Z87.891		S8032, G0296, G0297
Screening for depression: Screen for major depression when systems are in place to ensure accurate diagnosis, psychotherapy, and follow up.	Included as part of the well care visit fee and not billed separately.		
Diabetes screening: Allowed as blood sugar test to screen for diabetes in adults as part of a cardiovascular risk assessment.	Z00.00, Z01.419, Z01.411, Z13.1	Fasting Blood Glucose: 82947, 82948, 83036	RV300-RV319
Colorectal screening: Colonoscopy every 10 years (includes anesthesia and tissue sample analysis) Or stool for occult blood every year or fecal immunochemical test (FIT) every year, or stool DNA test every 3 years or flexible sigmoidoscopy every 5 years.	Z00.00, Z00.8, Z01.419, Z01.411, Z12.39, Z12.31, Z12.4, V12.6, Z12.12, Z12.5, Z12.89, Z12.10, Z12.11, Z13.820, Z13.9, Z80.0, Z83.71, Z83.79, Z12.11, Z00.01, Z00.00, Z85.00, Z85.038, Z85.048	00810, 88304, 88305 Stool for Occult Blood: 82270, 82274	Stool for Occult Blood: G0328
		Stool DNA Testing: 81528	Stool DNA Testing: G0464
		Fecal Immunochemical Test (FIT): 82274	Fecal Immunochemical Test (FIT): G0328
		Flexible Sigmoidoscopy: 45300-45345	Flexible Sigmoidoscopy: G0104, G0106
		Colonoscopy: 44388-44397, 45355-45392	Colonoscopy: G0105, G0121, G0120

Ages 60+ (cont.) – Screenings for men and women	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
Hemoglobin or hematocrit (Hgb/Hct): One Hemoglobin or one Hematocrit every year.	Z00.00, Z00.8, Z01.419, Z01.411, Z12.4, Z12.6, Z12.12, Z12.5, Z12.89, Z12.10, Z12.11, Z13.820, Z13.9	85013, 85014, 85018	
Sexually Transmitted Disease (STD): For all adults at risk and includes chlamydia, gonorrhea, syphilis and HIV.	Chlamydia: Z72.51, Z00.00, Z01.419, Z01.411, Z11.8, Z11.3, Z11.2, Z11.9, Z12.4, Z12.72, Z22.8, Z71.89	Chlamydia: 86631, 87110, 87270, 87320, 87490-87492, 87810, 86632	
	Gonorrhea: Z72.51, Z00.00, Z01.419, Z01.411, Z11.8, Z11.3, Z11.2, Z11.9, Z12.4, Z12.72, Z72.51	Gonorrhea: 87590-87592, 87850	
	HIV: Z72.51, Z22.8, Z00.00, Z01.419, Z01.411, Z11.59, Z11.3, Z11.9, Z12.4, Z12.72, Z11.4	HIV: 86701-86703 87390-87391, 86689	HIV: G0432, G0433, G0435, G0475, S6325
	Syphilis: Z00.00, Z04.419, Z01.411, Z11.3, Z71.89, Z12.72, Z11.2, Z12.4, Z22.8	Syphilis: 86592-86593	
Tuberculosis screening: Allowed once every 5 years for adult members at risk.		86580	
Ages 60+ – Screenings for women			
Breast cancer preventive medications: Allowed for women at risk for breast cancer.			
BRCA screening: Women with a family history (breast or ovarian cancer) associated with increased risk for harmful mutations in BRCA1 or BRCA2 should be referred for genetic counseling regarding BRCA testing. (Limit 1 per lifetime).	Z85.3, Z85.43, Z80.3, Z80.41, Z31.5	96040	S0265
Mammogram: One screening per year.	Z12.39, Z12.31	77051-77052, 77055-77057	G0202, G0204, G0206, RV401, RV403
Counseling women at high risk for breast cancer: Counseling for chemoprevention of breast cancer (as part of the annual preventive health examination).	Included as part of the well care visit fee and not billed separately.		
Osteoporosis screening: For women 65 and older or beginning at age 60 if increased risk. (Limit 1 per lifetime).	Z82.62, Z78.0, Z80.3, Z13.820	76977, 77078, 77080, 77081	G0130
Pap smear: Ages 30 to 65 – every 3 years; or every 5 years if HPV test is also performed.	Z00.00, Z00.8, Z01.419, Z01.411, Z12.4, Z12.72, Z12.89, Z01.42	88141-88167, 88174-88175	G0101, G0123, G0124, G0141, G0143-G0145, G0147, G0148, P3000, P3001, Q0091, RV923

Ages 60+ – Screenings for men	ICD-10 Diagnosis Codes	CPT Procedure Codes	HCPCS Procedure / Revenue Codes
Abdominal Aortic Aneurysm screening: For men ages 65 to 75 years who have ever smoked. (Limit 1 per lifetime).	Z87.891, Z00.00, Z00.8, Z13.6, Z13.89	76700, 76705, 76770, 76775	G0389
Prostate specific antigen: One test per year.	Z80.42, Z00.00, Z00.8, Z12.5, Z15.03	84152-84154	G0103
Ages 60+ – Additional covered benefits for men and women			
Basic metabolic panel: One per year and should include the following calcium, carbon dioxide, chloride, creatinine, glucose, potassium, sodium and urea nitrogen.	Z00.00, Z00.8, Z01.419, Z01.411, Z12.39, Z12.31, Z12.4, Z12.12, Z12.5, Z12.89, Z12.10, Z12.11, Z13.820, Z13.9	80047, 80048	RV300-RV319
Falls prevention in older adults: Exercise or physical therapy to prevent falls for members age 65 or older at increased risk for falls.	Z91.81, Z72.3	97024, 97010, 97011, 97012, 97013-97016, 97022, 97026-97036, 97110-97116, 97140, 97530-97542, 97535, 97597-97598, 97602, 97750, 97755, 97760, 97761	G0281, G0283, G0282
Falls prevention in older adults: Vitamin D supplement for members age 65 or older at risk for falls.			

*Sources: Adopted from Recommendations of the U.S. Preventive Services Task Force. March 2017. Agency for Healthcare Research and Quality, Rockville, MD, CDC, American Cancer Society, Bright Futures at Georgetown University, Sanford Health Plan Physician Quality Committee.